Completed 12-12-2014 Revision: (date) 02-06-2022 SDS version 1.7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Trade Name: I-Skum Product- no.:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses:

Strong alkaline foam cleaner foam.

Uses advised against:

This product must not be used for purposes other than those recommended without first seeking the advice of the supplier.

1.3. Details of the supplier of the safety data sheet

Company and address:

Carl Jensens Marinelager Aps Olfert Fischersvej 8 DK- 9850 Hirtshals Tlf: + 45 98 94 11 29

Contact person and E-mail:

Jakup Jacobsen, jmj@carljensens.dk

The Safety data sheet is completed and validated by:

Mediator A/S, Centervej 2, DK-6000 Kolding. Consultant: KN

1.4. Emergency telephone number

NHS: 111

Use your national or local emergency number - See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP (1272/2008): Skin Corr. 1A;H314

See full text of H-phrases in section 16.

2.2. Label elements



Signal word:

Danger

Causes severe skin burns and eye damage. (H314)

If medical advice is needed, have product container or label at hand. (P101)

Keep out of reach of children. (P102)

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER/doctor. (P303 + P361 + P353 + P310)

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER/doctor. (P303+P361+P353+P310)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305 + P351 + P338)

Dispose of contents/container in accordance with local regulation. (P501)

2.3. Other hazards

<u>-</u>.

Additional labelling:

-

Additional warnings

-

SECTION 3: Composition/information on ingredients

3.1./3.2. Substances/Mixtures

Substance	EU-Index no. / REACH-Reg. no.	CAS-no.	EINECS-no.	CLP-classification	Wt/Wt %	Note
Potassium hydroxide	019-002-00-8 / -	1310-58-3	215-181-3	Acute Tox. 4;H302, Skin Corr. 1A;H314	5-10	-
Sodium hydroxide	011-002-00-6 / -	1310-73-2	215-185-5	Skin Corr.1A;H314	5-10	-
Sodium metasilicate x 5H2O	-/-	10213-79-3	600-279-4	Skin Corr. 1B;H314, STOT SE 3;H335	1-5	-
Alcoholethoxylat, polymer	-/-	-	-	Acute Tox. 1;H302, Skin Irrit. 2;H315, Eye Dam. 1;H318	1-5	-
Alkyl imidazolinium carboxylate	-/-	68604-71-7	271-704-5	Eye Irrit. 2;H319	1-5	-

See full text of H-phrases in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Seek fresh air.

Keep victim under observation.

Seek medical advice in case of discomfort.

Ingestion:

Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.

Do not induce vomiting.

Seek medical advice immediately.

Skin contact:

Immediately remove contaminated clothing.

Wash the skin thoroughly with water and continue washing for a long time.

Seek medical advice immediately.

Eye contact:

Open eye wide, remove any contact lenses and flush immediately with water (preferably using eye wash equipment). Seek medical advice immediately. Continue flushing until medical attention is obtained.

Additional information:

When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Tissue damaging effects: This product contains substances which are corrosive. If vapour or aerosols are in haled, it can result in damage to lungs, irritation and burns in the respiratory organs as well as coughing. Corrosive substances cause irreversible damage to eyes and acid burns to skin.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Extinguish with powder, foam, carbon dioxide or water mist.

Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

The product is not directly flammable. Avoid inhalation of vapour and fumes – seek fresh air.

Hazardous fumes are formed in fire conditions.

Exposure to decomposition products may cause a health hazard.

Use water to cool containers exposed to fire.

5.3. Advice for firefighters

Send contaminated extinguishing water for destruction.

Extinguishing water which has been in contact with the product may be corrosive.

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8 for type of protective equipment.

Avoid breathing and contact with skin and eyes.

6.2. Environmental precautions

Notify proper authorities in case of contamination of soil or aquatic environment or discharge to drains.

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers.

Caution! Causes burns.

Rinse with water.

6.4. Reference to other sections

See section 8 for type of protective equipment.

See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

See section 8 for information about precautions for use and personal protective equipment.

Use the product under well-ventilated conditions.

Running water and eye wash equipment must be available.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc.

Store frost-free.

Store in a dry, cool, well-ventilated area.

7.3. Specific end use(s)

See application section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits according to EH40/2005 Workplace exposure limits (Fourth Edition 2020):

Substance	Long-term	Short-term	No
	exposure limit ppm / mg/m³	exposure limit ppm / mg/m ³	
Potassium hydroxide	-/-	-/2	-
Sodium hydroxide	-/-	-/2	-

DNEL/PNEC-values:

DNEL Potassium hydroxide

	Workers	Consumers
Inhalation - Chronic Systemic	1 mg/m³	1 mg/m³

DNEL Sodium hydroxide

·	Workers	Consumers
Inhalation - Chronic Local	1 mg/m³	1 mg/m³

8.2. Exposure controls

There are no exposure scenarios for this product.

Appropriate engineering controls:

Wear the personal protective equipment specified below.

Wash hands before breaks, before using restroom facilities, and at the end of work.

Do not eat, drink or smoke when using this product.

Personal protective equipment:







Respiratory protection:

In case of insufficient ventilation, wear respiratory protective equipment with filter P2.

Hand protection:

Wear protective gloves made of nitrile rubber.

Change gloves immediately if contaminated, and wash hands with soap and water.

Eye/face protection:

Wear safety goggles/face protection.

Skin protection:

Special work clothing should be used.

Environmental exposure controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

Colour:
Colour:
Colour:
Clear
Odour:
Melting point/ Freezing Point (°C):
Boiling point or initial boiling point and boiling range (°C):
Flammability:
Lower and upper explosion limit (vol-%):
Flash point (°C):

Liquid
Clear
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100

Auto-ignition temperature (°C):
Decomposition temperature (°C):

Kinematic viscosity (mm2/s):

Solubility:

Soluble in water

Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density: 1.1
Relative vapour density: Particle characteristics: -

9.2. Other information

None.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

0.5 (Brugsklar: 2)

10.5. Incompatible materials

Avoid contact with strong bases.

Avoid contact with strong oxidising agents.

Avoid contact with strong reducing agents.

Avoid contact with strong acids.

10.6. Hazardous decomposition products

No special precautions regarding contact with other materials at the recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity:

Based on the existing data, the classification is not met.

SubstanceexposureSpeciesTestResultPotassium hydroxideOralRatLD50333 mg/kg bw

Skin corrosion/irritation:

Has a corrosive effect and causes burning pain, reddening, blisters and burns.

May cause burns to mouth, gullet and stomach. Pains in mouth, throat and stomach. Difficulty in swallowing, indisposition and bloody vomit. Brown spots and burns may appear in and around the mouth.

Inhalation is corrosive to the upper airways. Causes a burning sensation in the nose, mouth and throat, together with sneezing, coughing, breathing difficulties and chest pain.

Serious eye damage/irritation:

May cause severe burns, pain, tearing and cramp of the eyelids. Risk of serious damage to eyes and loss of vision.

Respiratory or skin sensitisation:

Based on the existing data, the classification is not met.

Germ cell mutagenicity:

Based on the existing data, the classification is not met.

Carcinogenicity:

Based on the existing data, the classification is not met.

Reproductive toxicity:

Based on the existing data, the classification is not met.

STOT-single exposure:

Based on the existing data, the classification is not met.

STOT-repeated exposure:

Based on the existing data, the classification is not met.

Aspiration hazard:

Based on the existing data, the classification is not met.

11.2. Information on other hazards

Test data are not available.

SECTION 12: Ecological information

12.1. Toxicity

SubstanceTest durationSpeciesTestResultSodium hydroxide48 HoursDaphniaEC50162.2 mg/L

12.2. Persistence and degradability

Substance Biodegradability Test Result

No data. - - -

12.3. Bioaccumulative potential

Substance Potential LogPow

bioaccumulation

No data. - -

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not meet the criteria for PBT or vPvB.

12.6. Endocrine disrupting properties

Test data are not available.

12.7. Other adverse effects

The product affects the pH value of the local aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The product is covered by the regulations on dangerous waste.

Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

EWC-Code	Description
20 01 29	Detergents containing hazardous substances

Specific labelling:

Contaminated packaging:

Empty packaging and residues must be disposed of through the municipal waste collection service for hazardous waste.

SECTION 14: Transport information

The product is covered by the rules for transport of dangerous goods.

14.1 -14.4.

ADR

14.1. UN number or ID number	14.2. UN proper shipping name	14.3. Transport hazard class(es)	14.4. Packing group
13266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydorxide and potassium hydroxide)	8	II

IMDG/IATA

INIDO/IATA				
14.1. UN number or ID number	14.2. UN proper shipping name	114.3. Transport hazard class(es)	14.4. Packing group	
13766	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydorxide and potassium hydroxide)	8	II	

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

Additional labelling:

Declaration in accordance to the EU regulation no. 648/2004:

Less than 5%:

Amphoteric surfactants

Non-ionic surfactants

EDTA and salts thereof

Restrictions for application:

Special care should be applied for employees under the age of 18. Young people under the age of 18 may not carry out any work causing harmful exposure to this product. Young people above 15 years are exempted this rule, if the product is a part of an education/training. Special care should be applied for pregnant and lactating women.

Demands for specific education:

-

15.2. Chemical safety assessment

None

SECTION 16: Other information

According to EU regulation 1907/2006 (REACH)

Other information:

Sources:

EC regulation 1907/2006 (REACH), with amendments. EC Regulation 1272/2008 (CLP), with amendments.

EU regulation no. 276/2010

Directive 2000/532/EC ECHA - The European Chemicals Agency

Full text of H-phrases as mentioned in section 2+3:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

Classification according to Regulation (EC) Nr. 1272/2008:

Skin Corr. 1A;H314 Calculation method

Abbreviations and acronyms used in the safety data sheet:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals. Regulation (EC) No 1907/2006.

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

CAS-Number.: Chemical Abstracts Service number.

EC-Number.: EINECS and ELINCS Number (see also EINECS and ELINCS).

DNEL: Derived No Effect Level.

PNEC(s): Predicted No Effect Concentration(s).

STOT: Specific Target Organ Toxicity.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

LC50: Lethal Concentration to 50 % of a test population.

EC50: The effective concentration of substance that causes 50% of the maximum response.

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: Very Persistent and Very Bioaccumulative.

NOEC: The highest tested concentration at which, in a study, no statistically significant effect is observed in the exposed population compared with an appropriate control group.

NOAEL: The highest tested dose or exposure level at which there are no statistically significant increases in the frequency or severity of adverse effects between the exposed population and an appropriate control group; some effects may be produced at this level, but they are not considered adverse or precursors of adverse effects.

Other

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

Minor changes have been made in following sections:

General update.

This material safety data sheet replaces version:

1.6